

Using CQL in modules

The following modules are powered by CQL: [News](#), [Activity](#), [Search](#) and [Pages](#)

Sites and categories introduced by RefinedTheme can be used in a CQL statement.

Key	Type	Description	Example query
refinedSite	number	The site id. You can find the site Id in the Site Builder. Click edit on a site and take the site id from the url.	refinedSite = 123
refinedCategory	string	The category key.	refinedCategory = hr

RefinedTheme 6.1

CQL function()	Description	Example
blogs()	Returns all spaceKeys for spaces marked as 'Blog spaces'	type = blogpost AND space IN blogs()
blogSite()	Returns all spaceKeys for spaces placed in the Blog Site	type = blogpost AND space IN blogSite()

Atlassian CQL Documentation

Read this document to learn more about CQL: <https://developer.atlassian.com/server/confluence/advanced-searching-using-cql/>


Examples

Pages CQL

Display the user's favorite pages

See example below under the "my favourite pages" section in image.

```
favorite = currentUser() and type = page
```



List all my mentions

```
siteSearch ~ "$username*" and mention = currentUser()
```

News CQL

Get all blog posts from a site

```
type = blogpost AND refinedSite = 123 ORDER BY created DESC
```

Get all blog posts from a category

```
type = blogpost AND refinedCategory = hr ORDER BY created DESC
```

Get all blog posts added by the current logged in user

Tip: Text Variables can be used to construct CQL queries.

```
type = blogpost AND creator = $username ORDER BY created DESC
```

Get all blogposts from the blog site

```
type = blogpost AND space IN blogSite() ORDER BY created DESC
```

Get all blogposts from blog spaces

```
type = blogpost AND space IN blogs() ORDER BY created DESC
```

You can also make use of any third-party CQL additions as well (RefinedTheme 6.1).

Tailoring the search with CQL

Ticking the box or not?

For the Search module. If you want to add your own complete CQL statement, make sure to uncheck/untick the box in the image above. When the box is ticked/checked the user entered word, **\$query**, will be used for title and label search, i.e. (title ~"\$query*" or label in ("\$query*)) prepended with an **and**.

Search Confluence Questions for questions or answers (RefinedTheme 6.1)

```
type = "com.atlassian.confluence.plugins.confluence-questions:answer" or type =
"com.atlassian.confluence.plugins.confluence-questions:question"
```

Search all content using the CQL: text ~"*\$query*" - box checked

```
text ~"*$query*"
```

Search all content and labels and titles - box unchecked

```
text ~"$query*" or title ~"$query*" or label in ("$query")
```

Search Confluence for users

```
siteSearch ~ "$query*" and type = user
```

Search my mentions

```
siteSearch ~ "$query*" and mention = currentUser()
```

Search all content within a space using the CQL

```
text ~"*$query*" and space.key=$spacekey
```